

Astronics Test Systems Inc.

US Price List  
Version 12  
Released 11/25/2019



Part Number	Model # (if applicable) : Description	Status	ITAR	US & Canada
407374-01120	1261B : 7U High-Performance VXIbus Mainframe	Current		\$6,243
407771-04112	1261B-LINEAR/EMS : 7U High-Performance VXI Mainframe with Linear Power Supply, includes Enhanced Monitoring System, increased 12V power, Domestic	Current		\$25,942
407389	Option 1 : 7U Rackmount Flange (ears) with Slides only	Current		\$906
407390	Option 2 : 7U Rackmount Flange (ears) with Slides with Acrylic Door	Current		\$1,269
407391	Option 3 : 7U Rackmount Flange (ears) with Acrylic Door only	Current		\$787
407392	Option 4 : 7U Rackmount Flange (ears) only	Current		\$300
407374-01212	1261B w/ EMS : 9U High-Performance VXIbus Mainframe with EMS	Current		\$10,021
404836	Blanking Plates for All VXI Chassis (1-slot)	Current		\$45
456271	Additional Air Flow Blocker	Current		\$2
408177-S-2826	1263HPf : High-Power Digital VXIbus Mainframe, 13-slots, Front Maintainable, Basic VXI 4.0	Current		\$36,546
408348	1263 HPf & -S-2826 Spare Fan Module (Front Maint)	Current		\$1,903
408049-003	1263 HPf & -S-2826 Spare Power Supply Module	Current		\$9,160
408177-S-2827	1263MPf : Medium-Power Digital VXIbus Mainframe, 13-slots, Front Maintainable Basic, VXI 4.0	Current		\$26,490
408040-002	1263 MPf Spare Fan and Power Supply Module	Current		\$6,316
408038-S-2791M9	1261B-S-2791M9 : 1261B-S-2791 with M9 option	Current		\$28,223
407670	Option 01 : Rackmount Kit with Slides	Current		\$567
407671	Option 04 : Rackmount Ears Only	Current		\$295

Price List V12

Prices subject to change without notice

408216-0001	VX407C : Intelligent PXI/cPCI Carrier, 1-slot wide	Current		\$3,830
408597-002	1260-162BH : Adapt-a-Switch™ Plug-in, Dual Microwave Transfer Switch, 18 GHz (Mating Connector NOT supplied)	Current		\$3,683
408598-002	1260-164BH : Adapt-a-Switch™ Plug-in, 2 RF SP4T, 26.5 GHz, Dual Slot (Mating Connector NOT supplied)	Current		\$3,739
408599-02	1260-167BH : Adapt-a-Switch™ Plug-in, Two SP6T Microwave Switches, 26.5 GHz (Mating Connector NOT supplied)	Current		\$4,305
408011-003	1260-X153HSNC : Adapt-a-Switch™ X-Series Plug-in, Extended Performance Switch, High Stability New Connector (Mating Connector NOT supplied)	Current		\$5,999
R-2461-CD	2461-Cd : 200 MHz, 2-Channel UCT, No Internal Frequency Standard	Current		\$5,036
R-2461CD-S-2822	2461-LW-C2 : FTIC + Load	Current		\$13,885
408630-004	3352A-GPS-TD2 : Rubidium Oscillator with GPS, Clock and Trigger Distribution	Current		\$21,924
408054-S-2825	2367A : Trigger/Timing Distribution Resource	Current		\$23,903
408206-S-2823	6084-MUX-DM2 : 7.5 digit DMM with multiplexer (replaces the HP 70110/Opt. 1 MMS DMM and the E1412A VXI DMM)	Current		\$24,597
408179-YY[ZZ]	3100M : Message-Based Interface with shield	Current		\$3,029
W1	W1 : 3152B, 1 MB, External Reference Input Port (modern)	Current		\$6,039
W3	W3 : 3152B, 1 MB, Phase Modulation (PM) Input Port (modern)	Current		\$6,039
W4	W4 : 3152B, 4 MB, External Reference Input Port (modern)	Current		\$7,070
W5	W5 : 3152B, 4 MB, Phase Modulation (PM) Input Port (modern)	Current		\$7,070
408151-001	3152B w/ 1 M : 250 MS/s Arbitrary Waveform Generator with 1 M RAM (3152/3152A compatible)	Current		\$9,007
408208	3156C : Dual-Channel, 250 MS/s Arbitrary Waveform Generator	Current		\$20,141
408235-YY[ZZ]	3172 : Message-Based Interface	Current		\$2,940

Price List V12

Prices subject to change without notice

W2	W2 : AWG, 1 MB, Standard (1 module installed)	Current		\$9,767
W2	W2 : AWG, 1 MB, Standard (2 modules installed)	Current		\$8,639
W6	W6 : AWG, 1 MB, Legacy AM (1 module installed)	Current		\$10,922
W6	W6 : AWG, 1 MB, Legacy AM (2 modules installed)	Current		\$9,794
P2	P2 : Dual Pulse Generator, 50 MHz (1 module installed)	Current		\$8,611
P2	P2 : Dual Pulse Generator, 50 MHz (2 modules installed)	Current		\$7,483
A3	A3 : 122 V Amplifier	Current		\$4,045

Price List V12

Prices subject to change without notice